

# Flow Orifice




5-year warranty

Model #	Technical Data
FO15010	½" flow orifice for 1.0 GPM
FO15025	½" flow orifice for 2.5 GPM
FO15055	½" flow orifice for 5.5 GPM
FO20100	¾" flow orifice for 10.0 GPM
FO25210	1" flow orifice for 21.0 GPM

## Application

The flow orifice is used to measure flow rate, reduce pressure or to restrict flow. A flow orifice can be used as a stand alone or with PIQCV or QCV zone valve products.

## Dimensions (Inches [mm])



Model #	DN [mm]	Size IN.	Connection Type	A	B	C	Weight lbs [kg]
FO15010	15	1/2"	NPT	3.54 [90.0]	1.53 [38.8]	0.153 [390]	0.93 [0.42]
FO15025	15	1/2"	NPT	3.54 [90.0]	1.53 [38.8]	0.216 [5.49]	0.93 [0.42]
FO15055	15	1/2"	NPT	3.54 [90.0]	1.53 [38.8]	0.338 [8.59]	0.93 [0.42]
FO20100	20	3/4"	NPT	3.59 [91.0]	1.58 [40.0]	0.338 [8.59]	1.15 [0.52]
FO25210	25	1"	NPT	3.59 [91.0]	1.58 [40.0]	0.486 [12.36]	1.1 [0.5]

## Flow Chart

